

Section 01430**CONTRACTOR'S QUALITY CONTROL****1.0 GENERAL****1.01 SECTION INCLUDES**

- A Quality assurance and control of installation and manufacturer's field services and reports.
- B References to Technical Specifications:
 - 1. Section 01350 – Submittals

1.02 SUBMITTALS

- A Make Submittals required by this Section under the provisions of Section 01350 – Submittals.

1.03 QUALITY ASSURANCE/CONTROL OF INSTALLATION

- A Monitor quality control over suppliers, manufacturers, products, services, site conditions, and workmanship, to produce the Work of specified quality at no additional cost to the Owner.
- B Comply fully with manufacturers' installation instructions, including each step in sequence.
- C Request clarification from Project Manager before proceeding should manufacturers' instructions conflict with Contract Documents.
- D Comply with specified Standards as minimum requirements for the Work except when more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.
- E Perform work by persons qualified to produce the specified level of workmanship.
- F Obtain copies of Standards and maintain at Project Site when required by individual Technical Specifications.

1.04 MANUFACTURERS' FIELD SERVICES AND REPORTS

- A When specified in individual Technical Specifications, provide material or product suppliers' or manufacturers' technical representative to observe site conditions, conditions of surfaces and installation, quality of workmanship, start-up of equipment, operator training, test, adjust, and balance of equipment as applicable, and to initiate operation, as required. Conform to minimum time requirements for start-up operations and operator training if defined in Technical Specifications.

- B At the Project Manager's request, submit qualifications of manufacturer's representative to Project Manager fifteen (15) days in advance of required representative's services. The representative shall be subject to approval of Project Manager.

- C Manufacturer's representative shall report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to manufacturers' written instructions. Submit report within one (1) day of observation to Project Manager for review.

2.0 PRODUCTS - Not Used

3.0 EXECUTION - Not Used

END OF SECTION